

[CORE DRILL RIGS - P37](#)

Published on Tuesday, 06 November 2012 13:19 | [Print](#) | [Hits: 9513](#) Image not readable or empty
Print: /resources/website/template1d1abc/images/system/printButton.png

CORE DRILL RIGS - Gator Rig 2

The GR professional drill stand is designed for medium to heavy-duty drilling applications. Standard bit capacity of 10". 20-amp Milwaukee Motor

STANDARD FEATURES

Column:

- Precision zinc plated square column
- 2 1/2" x 44" bolted to the base
- Built-in jack screw
- Gear rack welded to column

Base:

- Cast aluminum 13" x 16"
- Web design for easy anchor bolt mounting
- 4 leveling screws for alignment on all types of surfaces
- Removable wheel assembly
- Slotted base can accept optional quick-release vacuum assembly
- Accomodates vacuum pad without loss of machine Stability

Roller Carriage:

- Precision rack and pinion gear system
- Adjustable brass shims for alignment and smooth travel
- Single lever "slip through" handle
- Lock bolt for securing carriage in a position
- Control Panel with amp meter and 120V outlet for vacuum
- 32" carriage travel

Gator%20Rig%201%20p.36.1

Image not readable or empty
images/Gator%20Rig%202%20p.37_fmt.png

Machine Dimensions

	Uncrated	Crated
Height	49"	57"
Width	13"	21"
Length	28"	27"
Weight	115 Lbs	132Lbs

Model	Description
GR2-20V	Rig Stand, Milwaukee 20AMP motor, Vacuum System
GR2-20	Rig Stand, Milwaukee 20AMP motor
GR2-5V	Rig Stand, Vacuum System
GR1-5	Rig Stand

